

**PCT**

WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>6</sup> :</b> <b>G06T 17/00, G06F 19/00 // 161:00</b>	<b>A2</b>	<b>(11) International Publication Number:</b> <b>WO 97/23845</b> <b>(43) International Publication Date:</b> 3 July 1997 (03.07.97)
<b>(21) International Application Number:</b> PCT/IB96/01398 <b>(22) International Filing Date:</b> 9 December 1996 (09.12.96)  <b>(30) Priority Data:</b> 08/576,621 21 December 1995 (21.12.95) US  <b>(71) Applicant:</b> PHILIPS ELECTRONICS N.V. [NL/NL]; Groenewoudseweg 1, NL-5621 BA Eindhoven (NL). <b>(71) Applicant (for SE only):</b> PHILIPS NORDEN AB [SE/SE]; Kottbygatan 7, Kista, S-164 85 Stockholm (SE). <b>(72) Inventor:</b> TROVATO, Karen, J.; Prof. Holstlaan 6, NL-5656 AA Eindhoven (NL). <b>(74) Agent:</b> STRIJLAND, Wilfred; Internationaal Octrooibureau B.V., P.O. Box 220, NL-5600 AE Eindhoven (NL).		<b>(81) Designated States:</b> JP, European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).  <b>Published</b> <i>Without international search report and to be republished upon receipt of that report.</i>
<b>(54) Title:</b> A COMPUTER METHOD AND COMPUTER SYSTEM BASED ON A SIMULATED ENVIRONMENT USING PROCEDURAL ANIMATION IN A SIMULATED CITY  <b>(57) Abstract</b>  An electronic game uses electronic map data and an environment grower to create a rich environment. An avatar maintenance system further enhances the game environment. The game is then sufficiently complex to be used by thousands of users.		

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgyzstan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	KZ	Kazakhstan	SG	Singapore
CH	Switzerland	LI	Liechtenstein	SI	Slovenia
CI	Côte d'Ivoire	LK	Sri Lanka	SK	Slovakia
CM	Cameroon	LR	Liberia	SN	Senegal
CN	China	LT	Lithuania	SZ	Swaziland
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	LV	Latvia	TG	Togo
DE	Germany	MC	Monaco	TJ	Tajikistan
DK	Denmark	MD	Republic of Moldova	TT	Trinidad and Tobago
EE	Estonia	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	UG	Uganda
FI	Finland	MN	Mongolia	US	United States of America
FR	France	MR	Mauritania	UZ	Uzbekistan
GA	Gabon			VN	Viet Nam

A computer method and computer system based on a simulated environment using procedural animation in a simulated city.

## BACKGROUND OF THE INVENTION

The invention relates to a computer method based on a simulated environment using procedural animation in a simulated city, and in particular based on software to be used in networks.

5           Many current electronic games are limited in the number of users that they can accommodate, typically no more than a handful. This limitation is partly because the hardware and software have not been designed for more users. However, multiuser hardware and software is well known and readily available for game designers to use. More importantly, limitation on the number of users of games is due to the complexity of creating  
10 a virtual environment which contains enough data to accommodate large numbers of users. Ideally, each user needs to have his or her own game environment which interfaces to the game environments of other users. If the number of users becomes very large, such as 10,000, the amount of data required to create a unique game environment becomes impossibly expensive to generate.

15

## SUMMARY OF THE INVENTION

Accordingly, amongst other things, it is an object of the invention is to create an electronic environment which has enough data to accommodate very large numbers of users at once, while at the same time doing so with existing, and moderately priced  
20 facilities. Now according to one of its aspects, the invention provides a computer method comprising

- inputting electronic map data into a computer system, and
  - in the system, growing a simulated environment from the electronic map data.
- Electronic maps have been made available for various purposes, and the secondary growing  
25 of an environment requires relatively little computing power.

The invention also relates to a computer system for implementing the method. Various further advantageous aspects of the invention are recited in dependent Claims.

## BRIEF DESCRIPTION OF THE DRAWING

The invention will now be described by way of non-limitative example with reference to the following drawings.

Fig. 1 shows a network on which the game according to the invention can  
5 run.

Fig. 2A shows a system for running the environment of the invention.

Fig. 2B shows an alternative embodiment of the system.

Fig. 2C shows another alternative embodiment of the system.

Fig. 3 shows still another alternative embodiment of the system.

Fig. 4 shows a screen of a video game using the environment of the  
10 invention.

## DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

In order to accommodate a very large number of users, an electronic  
15 environment must run on a network, as illustrated in Fig. 1. A server 101, with a high speed network connection 110 will run the game according to the invention. The server 101 can be, for instance, a Sun Sparc20, that is locally connected to a database with electronic map data 120, and which via the network connects to many remote users 102-107. The connection 110 should allow for high rates of data transfer to and from the server, for instance a T1 line  
20 communicating large quantities of data with the network 102. The individual users need only have ordinary phone lines 100. Alternatively, the server 101 can maintain a large number of ports over ordinary phone lines to individual users who call in. The server 110 can run game software or any other software which requires a rich geographical environment. The network 102 may be any suitable large network, such as the Internet.

25 Users, each situated at their own stations 103-107, will interface with the server 101 via the network 102. User interface stations can be standard IBM compatible personal computers (PC), each provided with a respective local data base drawn as a cylinder.

Fig. 2A shows one embodiment of a system for generating an  
environment in accordance with the invention. While it is virtually impossible to create  
30 enough fictitious data to maintain 10,000 game environments, in fact the real world is an extremely complex environment which maintains billions of people. Electronic maps 201 have already digitized enough real world data to provide places for many digital users to play. Particularly useful maps for this purpose are available on the market from Navigation Technologies, 740 East Arques Ave, Sunnyvale CA 94086-3833. These maps have a great

deal of detail for the purposes of automobile navigation, but also include points of interest, such as hotels, restaurants, museums, gas stations, parking lots, and tourist attractions.

However, the maps alone do not create a rich environment. They are two dimensional maps. In order to enrich the user environment, the maps are preferably software enhanced by growing a rich environment using an environment grower 202. An example of such an environment grower is set forth in Lindstrom et al., "Level-of-Detail Management for Real-time Rendering of Phototextured Terrain", GVU Technical Report GIT-GVU-95-06, Georgia Institute of Technology, and Koller et al, "Virtual GIS; A Real-Time 3d Geographic Information System", GVU Technical Report GIT-GVU-95-14, Georgia Institute of Technology. The output of the environment grower is a rich environment 203, such as a simulated city, suitable for use by multiple users. Such an environment growing module is typically implemented using software code though it could also be hard wired. The environment so grown may comprise various terrain-defined features, such as hills, deserts, woods, grassland and waterways. In addition various human constructions can be implemented, such as houses, office buildings, roads, bridges, runways and tunnels. In this context, the term "city" should be understood to mean a human-inhabited area, without restriction by standard architectural or sociological concepts.

The environment 203 is input to a game supervision system 204 which includes a game rule module 206. The game rule module interacts with a memory 205, which stores user choices, as well as with the environment 203 to create the game. The game rule module can be any standard network game.

In general, user choices will be expressed in terms of simple commands, such as -go to the treasure- or -stab my neighbour-. Other movement or action command can be input directly by a joystick or other gesture sensor. These commands should have a format which is as condensed as possible in order to reduce input output times. Preferably therefore changes in representation of the avatars representing the various users should be generated largely automatically. An avatar maintenance module 207 continually updates the avatar appearances so that the game will be dynamic rather than static. The avatar maintenance module not only responds to user choices 205, but also keeps the avatars moving in an entertaining way even when no changes in user choices are entered. In this way, if one user goes to the kitchen to get a snack, any neighbours in the game environment need not detect or be bored by the user's absence or non-activity. Alternatively, the avatar maintenance module may be used to create the impression that more users are playing than are actually signed on. Real users can be substituted for artificial avatars at any time during

the game. Eventually, the enriched game environment and avatar configuration are stored in instantaneous database 208.

A suitable avatar maintenance module is described in Perlin, "Real Time Responsive Animation with Personality", IEEE Trans. on Visualization and Computer Graphics, Vol. 1, No. 1, March 1995, pp. 5-15 and Perlin, "Live Paint: Painting with Procedural Multiscale Textures", Computer Graphics Proceedings, Annual Conference Series, 1995, pp 153-160. Such an avatar maintenance module is typically implemented in software code, but could also be hardwired.

10 A game rule module server might create multiple games in the same environment. Users might wander from game to game in that environment.

An alternative embodiment of a game system in accordance with the invention is shown at Figure 2B, wherein like elements carry the same numerals as in Figure 2A. This embodiment seeks to minimize data transfer by distributing game processing to local work stations such as stations 102-107 in Figure 1. In this alternative embodiment, an environment segmenter 209 sends only a representations of a geographical segment 210 of the game to any one user. The user's local station 213 includes a local version of the game rule module 216. The local game rule module 216 receives the game segment representation 210 from the network and sends new user choices 211 back to the network. The local game module 216 interacts with the user via a display 214 and an input device 215, such as a keyboard and/or a pointer device. The local game module maintains a complete local game segment 212 which is updated by the user's choices, the game segment representation, and a local avatar maintenance module 217. Putting the avatar maintenance module 217 in the local station and maintaining a complete local game segment 212 reduces the amount of data transfer over the network.

25 User choices can trigger the game supervision system to choose a new part of the electronic map data and 201 and trigger the environment grower 202 to grow some more environment.

A third alternative embodiment is shown in Fig. 2C. Here electronic map data is fed to an environment grower 202 to create enriched map data 203. The avatar maintenance module 207 adds avatars to the map data and stores the combination in memory 230. The memory then stores a representation of avatars interacting with the enhanced electronic map data. The game rule module 206 then uses the environment stored at 230. If a new piece of map is desired, the game rule module 206 must ask the environment grower for it. If a change of avatars is to be triggered by user choices, the game rule module 206 must

communicate this to the avatar maintenance module 207. The network is symbolized by item 229.

Those of ordinary skill in the art may devise any number of enhancements or alternative ways of combining the elements described above.

5 Fig. 3 another embodiment of the invention. PC 103 that is provided with display output 305, that may operate in conjunction with other output types, such as a speech channel, renders a current point of view of a virtual world using game supervision module 310 and local stored environment 311. The local stored environment is generated according to the method of Fig. 2C. The local stored environment 311 can be generated locally, or  
10 broadcast to the PC at the start of the game, or broadcast to the PC on a periodic basis. The local game supervision module 310, taking input from a local input device 304, generates local avatar data. The term "avatar" is a term of art which was first used in N. Stephenson, Snowcrash (Bantam Books 1993). Other terms of art for this concept include the word "sprite". The avatar represents the PC user's persona in the virtual world. A current state of  
15 the avatar is transmitted via phone line 302 or other equivalent back channel to the server 301. The server 301 takes all of the signals from phone line 302 and other similar sources of information. Game supervision module 320 combines all of the avatars and calculates their interactions, using the stored environment 322. Game supervision module 320 then creates a broadcast form for all of the avatars, which is preferably digital. The broadcast form may be  
20 compressed by compression module 307 before being broadcast, e.g. via satellite or cable, over transmission channel 303 to PC 103 and other users. A local cable provider 308 may convert the broadcast signal to an analog form for the PC 103, if necessary.

The combined broadcast signal is in the form of states for other avatars in the region used by the local PC user. Compression 307 and decompression 330 can be used  
25 to make communication more efficient.

The local input control 304 can be any standard input device such as a keyboard, joy stick, trackball, or infrared remote control. Local input control can also be via a virtual reality input system such as a tactile resistance device or VR data gloves. The display on the PC can be adapted for use with 3D glasses 305.

30 Similarly, in the environment of Fig. 1, the PC's can maintain the rich environment and receive packet type messages from the internet, analogously with mobile radio type applications. The PC's of all the figures can be equipped with the various input and output devices described for Fig. 3. The server of Fig. 1 can also transmit data in a sequential concatenated form any combined form whether digital or analog, compressed or

uncompressed.

Fig. 4 shows a sample screen for a simplified version of a game using an environment according to the invention. As shown, the display features a "my" car seen on dashboard and through the wind shield. The environment comprises a starry sky, a road  
5 rendered in perspective, and various high-rise buildings. On the avatar level, the display features a second car dead front, and a humanoid figure approaching from the right.



CLAIMS:

1. A computer method comprising
  - inputting electronic map data into a computer system, and
  - in the system, growing a simulated environment from the electronic map data.
2. A computer method as claimed in Claim 1, furthermore using avatar
- 5 maintenance code for maintaining one or more avatars in the environment.
3. A computer method as claimed in Claims 1 or 2, furthermore being arranged for maintaining an electronic game that interacts with the environment.
4. A computer system comprising:
  - input means for inputting electronic map data into the system;
  - 10 - database means for receiving and storing said map data;
  - growing means for growing a simulated environment from the electronic map data.
5. A computer system as claimed in Claim 4, and comprising processor
- 15 means for maintaining an electronic game that interacts with the environment stored in the memory.
6. A computer system as claimed in Claim 4 or 5 wherein the processor is a game server and further comprising means for communicating data relating to the simulated environment to a remote processor.
7. The computer system as claimed in Claim 4, 5 or 6 wherein the data is a
- 20 portion of the simulated environment.
8. A computer system as claimed in Claims 4 to 7 wherein the portion comprises avatar data.
9. A computer system of Claim 6 wherein the means for communicating comprises one of a network, the internet, broadcast cable lines, and phone lines.
- 25 10. A computer system as claimed in any of Claims 4 to 9 wherein the processor is a remote processor and further comprising means for communicating data relating to the environment with a central server.
11. A computer system of Claim 10 wherein the means for communicating comprises one of a network connection, the internet, and a phone line.

12. A computer system as claimed in any of Claims 4 to 11, and comprising central processor means for maintaining an environment with avatars in that environment;

- means for communicating portions of the environment to distributed processor means,

5 - and wherein the portions are the avatars.

13. A computer system as claimed in Claim 12 wherein the central processor is a game server.

14. A computer system as claimed in Claim 12 wherein the communicating means is also for receiving local data from the distributed processor means.

1/6




FIG. 1

2/6




FIG. 2A

3/6




FIG. 2B

4/6




FIG. 2C

5/6




FIG. 3

6/6




FIG. 4






## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification 6 :</b> <b>G06T 17/00, G06F 19/00 // 161:00</b>	<b>A3</b>	<b>(11) International Publication Number:</b> <b>WO 97/23845</b> <b>(43) International Publication Date:</b> 3 July 1997 (03.07.97)
<b>(21) International Application Number:</b> PCT/IB96/01398 <b>(22) International Filing Date:</b> 9 December 1996 (09.12.96)  <b>(30) Priority Data:</b> 08/576,621 21 December 1995 (21.12.95) US  <b>(71) Applicant:</b> PHILIPS ELECTRONICS N.V. [NL/NL]; Groenewoudseweg 1, NL-5621 BA Eindhoven (NL). <b>(71) Applicant (for SE only):</b> PHILIPS NORDEN AB [SE/SE]; Kottbygatan 7, Kista, S-164 85 Stockholm (SE). <b>(72) Inventor:</b> TROVATO, Karen. J.; Prof. Holstlaan 6, NL-5656 AA Eindhoven (NL). <b>(74) Agent:</b> STRIJLAND, Wilfred; Internationaal Octrooibureau B.V., P.O. Box 220, NL-5600 AE Eindhoven (NL).		<b>(81) Designated States:</b> JP, European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).  <b>Published</b> <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>  <b>(88) Date of publication of the international search report:</b> 21 August 1997 (21.08.97)

**(54) Title:** A COMPUTER METHOD AND COMPUTER SYSTEM BASED ON A SIMULATED ENVIRONMENT USING PROCEDURAL ANIMATION IN A SIMULATED CITY

**(57) Abstract**

An electronic game uses electronic map data and an environment grower to create a rich environment. An avatar maintenance system further enhances the game environment. The game is then sufficiently complex to be used by thousands of users.

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgyzstan	R	Russian Federation
CA	Canada	KP	Democratic People's Republic of Korea	S	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	KZ	Kazakhstan	SG	Singapore
CH	Switzerland	LI	Liechtenstein	SI	Slovenia
CI	Côte d'Ivoire	LK	Sri Lanka	SK	Slovakia
CM	Cameroon	LR	Liberia	SN	Senegal
CN	China	LT	Lithuania	SZ	Swaziland
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	LV	Larvia	TG	Togo
DE	Germany	MC	Monaco	TJ	Tajikistan
DK	Denmark	MD	Republic of Moldova	TT	Trinidad and Tobago
EE	Estonia	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	UG	Uganda
FI	Finland	MN	Mongolia	US	United States of America
FR	France	MR	Mauntania	UZ	Uzbekistan
GA	Gabon			VN	Viet Nam

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/IB 96/01398

## A. CLASSIFICATION OF SUBJECT MATTER

IPC6: G06T 17/00, G06F 19/00 // G0F 161:00  
According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC6: G06T, G06F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

SE,DK,FI,NO classes as above

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

EPODOC, WPI, PAJ

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US 5616079 A (TAKASHI IWASE ET AL), 1 April 1997 (01.04.97), column 2, line 37 - line 65; column 3, line 30 - line 67, The Japanese priority document was published before the priority of the PCT application	1,3,4-5,7
	--	
P,Y	EP 0696018 A2 (NIPPON TELEGRAPH AND TELEPHONE CORPORATION), 7 February 1996 (07.02.96), page 1, line 28 - line 56	2,6,8-14
	--	
A	EP 0507548 A2 (GENERAL ELECTRIC COMPANY), 7 October 1992 (07.10.92), column 1, line 47 - line 58; column 2, line 1 - line 12	1,4
	--	

☒ Further documents are listed in the continuation of Box C.

☒ See patent family annex.

## \* Special categories of cited documents:

- \*A\* document defining the general state of the art which is not considered to be of particular relevance
- \*B\* earlier document but published on or after the international filing date
- \*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- \*O\* document referring to an oral disclosure, use, exhibition or other means
- \*P\* document published prior to the international filing date but later than the priority date claimed

\*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

\*X\* document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

\*Y\* document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

\*Z\* document member of the same patent family

Date of the actual completion of the international search

27 June 1997

Date of mailing of the international search report

30 -06- 1997

Name and mailing address of the ISA/  
Swedish Patent Office  
Box 5055, S-102 42 STOCKHOLM  
Facsimile No. +46 8 666 02 86

Authorized officer

Jan Silfverling  
Telephone No. +46 8 782 25 00

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/IB 96/01398

## C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0337338 A2 (HUGHES AIRCRAFT COMPANY), 18 October 1989 (18.10.89), page 1, line 5 - line 8; page 1, line 25 - line 29 --	1,4
X	EP 0100097 A2 (HONEYWELL INC.), 8 February 1984 (08.02.84), page 1, line 14 - line 21; page 2, line 13 - line 16; page 3, line 26 - line 32 -- -----	1,4

## INTERNATIONAL SEARCH REPORT

Information on patent family members

03/06/97

International application No.

PCT/IB 96/01398

Patent document cited in search report			Publication date	Patent family member(s)		Publication date
US	5616079	A	01/04/97	WO	9428989 A	22/12/94
EP	0696018	A2	07/02/96	JP	8046704 A	16/02/96
				JP	8186648 A	16/07/96
				JP	7244619 A	19/09/95
				JP	9009222 A	10/01/97
				JP	9023275 A	21/01/97
EP	0507548	A2	07/10/92	IL	101308 A	27/11/95
				JP	6019454 A	28/01/94
EP	0337338	A2	18/10/89	SE	0337338 T3	
				AU	3261089 A	12/10/89
				CA	1315404 A	30/03/93
				DE	68927557 D,T	05/06/97
				ES	2095830 T	01/03/97
				JP	2062907 A	02/03/90
				US	4903216 A	20/02/90
EP	0100097	A2	08/02/84	SE	0100097 T3	
				CA	1206259 A	17/06/86
				EP	0313101 A	26/04/89
				EP	0315051 A	10/05/89
				JP	1046167 A	20/02/89
				JP	1054749 B	21/11/89
				JP	1064069 A	09/03/89
				JP	1569190 C	10/07/90
				JP	1619988 C	30/09/91
				JP	2041785 B	19/09/90
				US	4645459 A	24/02/87
				CA	1202731 A	01/04/86
				CA	1206260 A	17/06/86
				JP	1054748 B	21/11/89
				JP	1570769 C	25/07/90
				JP	59098275 A	06/06/84
				US	4667190 A	19/05/87
				US	4835532 A	30/05/89

**THIS PAGE BLANK (USPTO)**